

cloud

Fingerprint Recognition

Time & Attendance and
Access Control

CL02



cloud

CL02

Fingerprint Access Control



New model CL02 is popular in the market with smart design, with 2.8" TFT Touch screen, improved function that support access control, bell, RFID. professional communication port with Wiegand in & out, 2 × relay, NC, NO, alarm, etc.

Device with silicone keypad and ring bell.

Data be managed via TCP/IP, and USB host port for data up / download to avoid the risk of accidental deletion.


Features

- World-class algorithm, high-speed and accurately identify fingerprint.
- Fingerprint/Pin/Card authentication.
- Suitable for the entrances and exits of office, factory, hotel, school, etc.
- Large capacity, user capacity up to 3000, logs capacity up to 200,000.
- 2.8" Touch keypad.
- TCP/IP + USB Communication
- Support door control & alarm function.
- USB flash drive for offline data management.
- Language: English
- Easy wall-mounting.

Specifications

User Capacity	3000
Fingerprint Capacity	3000
Transactions Logs	200,000
RFID Card Capacity	3000
Display	2.8" TFT Color Touch Screen
Communication	TCP/IP + USB
Standers Functions	Fingerprint, RFID Card, Pin Code, TCP/IP, USB
Access Control Interface	3rd Party Electric Lock, Exit Button
Operating Humidity	< 90% RH
Language	English
CPU	400 MHz
Verifications	Fingerprint / Card / Pin
RFID	125kHz EM card
Push to Server (Mechanism)	Yes

APPLICATION



INTERFACE



ALARM-	RJ45-1
ALARM+	RJ45-2
NO	RJ45-3
COM	RJ45-6
NC	485-B
EXIT	485-A
BUT	GND
GND	WG-IN1
SEN	WG-IN0
BELL-	GND
BELL+	WG-OUT1
GND 12V	WG-OUT1



Authorized Distributor and Service Center

NEDO CORPORATION

KARACHI | LAHORE | ISLAMABAD

www.nedogroup.com
UAN: 021-111-633-675