

cloud

Face Recognition

Time & Attendance and
Access Control

CL3F+



cloud

CL3F+

Standalone Fingerprint Access Control



New model CL3F+ is popular in the market with smart design, improved function that support access control, battery, RFID.

Professional communication port with wiegand in & out, 2 × relay, NC, NO, alarm, etc.

Data be managed via TCP/IP, WiFi, and USB host port for data up / download to avoid the risk of accidental deletion.

Features

- World-class algorithm, high-speed and accurately identify fingerprint.
- Face/Fingerprint/Pin/Card authentication.
- Suitable for the entrances and exits of office, factory, hotel, school, etc.
- Large capacity, user capacity up to 1,000, logs capacity up to 200,000.
- 2.8 inch TFT color screen 240X320 pixel.
- TCP/IP + USB Flash Drive Download + USB Communication +WiFi
- Support door control / alarm function.
- USB flash drive for offline data management.
- Language: English
- Easy wall-mounting.


Specifications

User Capacity	1000
Face Capacity	1000
Fingerprint Capacity	1000
Transactions Logs	200,000
RFID Card Capacity	1000
Display	2.8" TFT Color Touch Screen
Communication	Built in Wifi, TCP/IP, USB-host
Standers Functions	Face / Fingerprint, RFID Card, Pin Code, TCP/IP, USB, Wifi
Access Control Interface	3rd Party Electric Lock, Exit Button
Power Supply	12 V DC / 2A
Operating Temp.	0°C-45°C
Operating Humidity	< 90% RH
Language	English
CPU	400 MHz
Battery	Built in Back up Battery
Verifications	Face / Fingerprint / Card / Pin Fingerprint + Face Card + Face / Fingerprint Password + Face / Fingerprint
Speed	Less than 0.5 second
Sensor	Specialize Dual Camera Sensor
RFID	125kHz EM card
Push to Server (Mechanism)	Yes
Interface	TCP/IP, USB (host and slave), 2 x Relay
Language	English
Attendance mode	Face or Fingerprint or Password or Card or Face+Password or Fingerprint + Password or Card+Password
Voice instruction	16-bit Hi-Fi voice & Sound indication
Verification time	< 0.5 Second [1:N]
FRR (False Rejection Rate)	< 1%
FAR (False Acceptance Rate)	< 0.0001%

APPLICATION



INTERFACE



Authorized Distributor and Service Center

NEDO CORPORATION

KARACHI | LAHORE | ISLAMABAD

www.nedogroup.com

UAN: 021-111-633-675