

cloud

Face Recognition

Time & Attendance and
Access Control

CL40



cloud

CL40

Standalone Face / Fingerprint Access Control



New model CL40 is popular in the market with slim design, with 2.4 TFT color and touch keypad, improved function that support WIFI, access control, bell, RFID, professional communication port with NO/NC relay, door open button, door magnet, wired doorbell, standard Wiegand 26/34 output/input, one-way alarm output, fire linkage input (fire alarm), etc.

Data be managed via TCP/IP, WiFi, and USB host port for data up / download to avoid the risk of accidental deletion.

Features

- World-class algorithm, high-speed and accurately identify fingerprint.
- Face/Fingerprint/Pin/Card authentication.
- Suitable for the entrances and exits of office, factory, hotel, school, etc.
- Large capacity, user capacity upto 1000, logs capacity upto 200,000.
- 2.4" Touch keypad.
- TCP/IP + USB Flash Drive Download + USB Communication+ Wifi
- More helpful function like T9 input method, self-service inquiry, etc.
- Support door control & alarm function.
- USB flash drive for offline data management.
- Language: English
- Easy wall-mounting.


Specifications

User Capacity	1000
Fingerprint Capacity	1000
Face Capacity	1000
Wifi	Built in Wifi
Transactions Logs	200,000
RFID Card Capacity	1000
Display	2.4" TFT Color Touch Screen, Touch Keypard
Communication	Built in Wifi, TCP/IP, USB-host
Standers Functions	Fingerprint, RFID Card, Pin Code, TCP/IP, USB, Wifi
Optional Functions	ID
Access Control Interface	3rd Party Electric Lock, Exit Button
Operating Humidity	< 90% RH
Language	English
CPU	400 MHz
Verifications	Fingerprint / Card / Pin / Face
RFID	125kHz EM card
Push to Server (Mechanism)	Yes

APPLICATION



INTERFACE



Authorized Distributor and Service Center

NEDO CORPORATION

KARACHI | LAHORE | ISLAMABAD

www.nedogroup.com

UAN: 021-111-633-675